

FAUCET AERATORS - *REGULAR* Size *Housings*

NEOPERL®

flow, stop and go®

Typical Aerator Assembly















Rubber Washer



Insert



Housing













View	Designation	Thread Size	Drawing	Dimensions (inches)
	Male	15/16" - 27		A .512 B .925
	Female	55/64" - 27		A .669 B .909
	Dual Thread	15/16" - 27 55/64" - 27		A .669 B .909
	Male Vandal Proof	15/16" - 27		A .535 B 1.083
	Female Vandal Proof	55/64" - 27		A .693 B 1.004
	Euro Male	15/16" - 27		A .512 B .943



FAUCET AERATORS - *REGULAR SIZE HOUSINGS*

NEOPERL®

flow, stop and go®

View	Designation	Thread Size	Drawing	Dimensions (Inches)
	Male Brushed Nickel	15/16" - 27		A .512 B .925
	Female Brushed Nickel	55/64" - 27		A .669 B .909
	Male Polished Brass	15/16" - 27		A .512 B .925
	Female Polished Brass	55/64" - 27		A .669 B .909
	Male Oil Rubbed Bronze	15/16" - 27		A .512 B .925
	Female Oil Rubbed Bronze	55/64" - 27		A .669 B .909

Other special finishes available upon request.



FAUCET AERATORS - *JUNIOR SIZE HOUSINGS*

NEOPERL®

flow, stop and go®

Typical Aerator Assembly

Rubber Washer















Insert



Housing



Housings

View	Designation	Thread Size	Drawing	Dimensions (inches)
	Male	13/16" - 27		A .500 B .800
	Female	3/4" - 27		A .687 B .802
	Male Vandal Proof	13/16" - 27		A .512 B .937
	Female Vandal Proof	3/4" - 27		A .690 B .909
	Male tightening grooves	13/16" - 27		A .512 B .937
	Male low profile Vandal Proof	15/16" - 27		A .512 B .937

